

Compliance Designs

CLIENT: Fox Ledge, Inc.
1432 Bethany Turnpike
Honesdale, PA 18431

DATE OF REPORT: Quarter 1, 2025
REPORT #: 107-21347
LABORATORY ID#: 380-135849-1

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of this analyte has been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by NYSHD for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

ANALYSIS PERFORMED	MCL ¹ (mg/L)	RL (mg/L)	DISTILLED FINISHED PRODUCT (Produced from Well 1, Line 1) 107-21347 (mg/L)
Primary Inorganics			
Antimony	--	0.001	ND
Arsenic	0.05	0.002	ND
Barium	1	0.002	ND
Cadmium	0.01	0.0005	ND
Chromium	0.05	0.0009	ND
Fluoride	2.2	0.05	ND
Lead	0.05	0.0005	ND
Mercury	0.002	0.0002	ND
Nickel	--	0.001	ND
Nitrate – N	10	0.05	ND
Nitrite – N	--	0.05	ND
Total Nitrate & Nitrite – N	10	0.05	ND
Selenium	0.01	0.002	ND
Secondary Inorganics			
Alkalinity	--	4	ND
Bicarb. Alkalinity	--	4	ND
Calcium	--	0.1	ND
Chloride	250	0.5	ND
Copper	1	0.001	ND
Corrosivity	--	-14	-8
Hardness, Total	--	2.9	ND
Iron	0.3	0.01	ND
Magnesium	--	0.1	ND
Manganese	0.3	0.002	ND
pH	--	0.01	5.5
Potassium	--	0.1	ND
Silver	0.05	0.0005	ND
Sodium	--	0.1	ND
Sulfate	250	0.25	ND
TDS	--	10	ND
Zinc	5	0.02	ND
Physical			
Color	--	2	ND
Odor	--	1	ND
Turbidity	--	0.1	ND
Radiologicals			
Gross Alpha	15 pCi/L	3	ND
Gross Beta	50 pCi/L ²	4	ND
Radium 226/228	5 pCi/L	1 / 1	ND / ND
Uranium	0.030	0.001	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	DISTILLED FINISHED PRODUCT (Produced from Well 1, Line 1) 107-21347 (mg/L)
Volatile Organic Compounds			
EPA 524.2:			
Total Trihalomethanes	0.1	0.0005	ND
tert-Amyl Methyl Ether (TAME)	--	0.003	ND
tert-Butyl-Ethyl Ether (TBEE)	--	0.003	ND
Benzene	0.005	0.0005	ND
Bromobenzene	0.005	0.0005	ND
Bromochloromethane	0.005	0.0005	ND
Bromodichloromethane	--	0.0005	ND
Bromoform	--	0.0005	ND
Bromomethane	0.005	0.0005	ND
n-Butylbenzene	0.005	0.0005	ND
sec-Butylbenzene	0.005	0.0005	ND
tert-Butylbenzene	0.005	0.0005	ND
Carbon Disulfide	--	0.0005	ND
Carbon Tetrachloride	0.005	0.0005	ND
Chlorobenzene	0.005	0.0005	ND
Chloroethane	0.005	0.0005	ND
Chloroform	--	0.0005	ND
Chloromethane	0.005	0.0005	ND
2-Chlorotoluene	0.005	0.0005	ND
4-Chlorotoluene	0.005	0.0005	ND
Chlorodibromomethane	--	0.0005	ND
Dibromomethane	0.005	0.0005	ND
1,2-Dichlorobenzene	0.005	0.0005	ND
1,3-Dichlorobenzene	--	0.0005	ND
1,4-Dichlorobenzene	0.005	0.0005	ND
Dichlorodifluoromethane	0.005	0.0005	ND
1,1-Dichloroethane	0.005	0.0005	ND
1,2-Dichloroethane	0.005	0.0005	ND
1,1-Dichloroethylene	0.005	0.0005	ND
cis-1,2-Dichloroethylene	0.005	0.0005	ND
trans-1,2-Dichloroethylene	0.005	0.0005	ND
1,2-Dichloropropane	0.005	0.0005	ND
1,3-Dichloropropane	0.005	0.0005	ND
2,2-Dichloropropane	0.005	0.0005	ND
1,1-Dichloropropene	0.005	0.0005	ND
cis-1,3-Dichloropropene	0.005	0.0005	ND
trans-1,3-Dichloropropene	0.005	0.0005	ND
Di-Isopropyl Ether	--	0.003	ND
Ethylbenzene	0.005	0.0005	ND
Hexachlorobutadiene	0.005	0.0005	ND
Isopropylbenzene	0.005	0.0005	ND
4-Isopropyltoluene	0.005	0.0005	ND
Methyl tert-Butyl Ether (MTBE)	--	0.0005	ND
Methyl Ethyl Ketone (MEK)	--	0.005	ND
Methylene Chloride	0.005	0.0005	ND
Naphthalene	--	0.0005	ND
n-Propylbenzene	0.005	0.0005	ND
Styrene	0.005	0.0005	ND
1,1,1,2-Tetrachloroethane	0.005	0.0005	ND
1,1,2,2-Tetrachloroethane	0.005	0.0005	ND
Tetrachloroethylene	0.005	0.0005	ND
Toluene	0.005	0.0005	ND
1,2,3-Trichlorobenzene	0.005	0.0005	ND
1,2,4-Trichlorobenzene	0.005	0.0005	ND
1,1,1-Trichloroethane	0.005	0.0005	ND

ANALYSIS PERFORMED	MCL (mg/L)	RL (mg/L)	DISTILLED FINISHED PRODUCT (Produced from Well 1, Line 1) 107-21347 (mg/L)
EPA 524.2 continued:			
1,1,2-Trichloroethane	0.005	0.0005	ND
Trichloroethylene	0.005	0.0005	ND
Trichlorofluoromethane	0.005	0.0005	ND
Trichlorotrifluoroethane	--	0.0005	ND
1,2,3-Trichloropropane	0.005	0.0005	ND
1,2,4-Trimethylbenzene	0.005	0.0005	ND
1,3,5-Trimethylbenzene	0.005	0.0005	ND
Vinyl Chloride	0.002	0.0003	ND
m+p-Xylenes	0.005	0.0005	ND
ortho-Xylene	0.005	0.0005	ND
Total Xylene	0.005	0.0005	ND
Add'l Organics			
EPA 505:			
Chlordane (alpha and gamma)	--	0.0001	ND
Total PCBs	--	0.0001	ND
PCB 1016	--	0.00007	ND
PCB 1221	--	0.0001	ND
PCB 1232	--	0.0001	ND
PCB 1242	--	0.0001	ND
PCB 1248	--	0.0001	ND
PCB 1254	--	0.0001	ND
PCB 1260	--	0.00007	ND
Toxaphene	0.005	0.0005	ND
EPA 515.4:			
Acifluorfen	--	0.0002	ND
Bentazon	--	0.0005	ND
2,4-D	0.05	0.0001	ND
2,4-DB	--	0.002	ND
Dalapon	--	0.001	ND
Dicamba	--	0.0001	ND
3,5-Dichlorobenzoic Acid	--	0.0005	ND
Dichlorprop	--	0.0005	ND
Dinoseb	--	0.0002	ND
Pentachlorophenol	--	0.00004	ND
Picloram	--	0.0001	ND
2,4,5-T	--	0.0002	ND
2,4,5-TP (Silvex)	0.01	0.0001	ND
EPA 525.2:			
Alachlor	0.002	0.00005	ND
Aldrin	--	0.00001	ND
Dieldrin	--	0.00001	ND
Endrin	0.002	0.00001	ND
Heptachlor	0.0004	0.00001	ND
Heptachlor Epoxide	0.0002	0.00001	ND
Lindane	0.0002	0.00001	ND
Methoxychlor	0.04	0.00005	ND
Disinfection Byproducts			
EPA 317:			
Bromate	0.010	0.001	ND

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The FDA, EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (=50 pCi/L).



ANALYTICAL REPORT

PREPARED FOR

Attn: (107) Water Quality Manager
Fox Ledge Inc.
1432 Bethany Turnpike
Honesdale, Pennsylvania 18431

Generated 3/15/2025 10:48:47 AM

JOB DESCRIPTION

107-21347
Fox Ledge - Honesdale - Distilled Finished Product

JOB NUMBER

380-135849-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
3/15/2025 10:48:47 AM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106

Case Narrative

Client: Fox Ledge Inc.
Project: 107-21347

Job ID: 380-135849-1

Job ID: 380-135849-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-135849-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 2/14/2025 10:03 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 14.5°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Herbicides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_OF_28D_PREC: The continuing calibration blank (CCB) for analytical batch 380-135878 contained Chloride above the method detection limit (MDL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.7_SDWA: The continuing calibration blank (CCB) for analytical batch 380-136243 contained Magnesium above the method detection limit (MDL). All reported samples associated with this CCB were ND for this analyte; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

Sample Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-135849-1	107-21347 Distilled Finished Product	Bottled Water	02/12/25 09:59	02/14/25 10:03	2646395

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Client Sample Results

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product

Lab Sample ID: 380-135849-1

Date Collected: 02/12/25 09:59

Matrix: Bottled Water

Date Received: 02/14/25 10:03

PWSID Number: 2646395

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50		ug/L		02/18/25 00:26	1	KP

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1,1-Trichloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1,2-Trichloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1-Dichloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1-Dichloroethylene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,1-Dichloropropene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2,3-Trichlorobenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2,3-Trichloropropane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2,4-Trichlorobenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2,4-Trimethylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2-Dichloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,2-Dichloropropane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,3,5-Trimethylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
1,3-Dichloropropane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
2,2-Dichloropropane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
2-Butanone (MEK)	ND		5.0		ug/L		02/18/25 00:26	1	N4CJ
Benzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromobenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromochloromethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromodichloromethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromoethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromoform	ND	^3+	0.50		ug/L		02/18/25 00:26	1	N4CJ
Bromomethane (Methyl Bromide)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Carbon disulfide	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Carbon tetrachloride	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Chlorobenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Chlorodibromomethane	ND	^3+	0.50		ug/L		02/18/25 00:26	1	N4CJ
Chloroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Chloroform (Trichloromethane)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Chloromethane (methyl chloride)	ND	^3+	0.50		ug/L		02/18/25 00:26	1	N4CJ
cis-1,2-Dichloroethylene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
cis-1,3-Dichloropropene	ND	^3+	0.50		ug/L		02/18/25 00:26	1	N4CJ
Dibromomethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Dichlorodifluoromethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Dichloromethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Diisopropyl ether	ND		3.0		ug/L		02/18/25 00:26	1	N4CJ
Ethylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Hexachlorobutadiene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Isopropylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
m,p-Xylenes	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
m-Dichlorobenzene (1,3-DCB)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Methyl-tert-butyl Ether (MTBE)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Naphthalene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
n-Butylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
N-Propylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product

Lab Sample ID: 380-135849-1

Date Collected: 02/12/25 09:59

Matrix: Bottled Water

Date Received: 02/14/25 10:03

PWSID Number: 2646395

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
o-Chlorotoluene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
o-Dichlorobenzene (1,2-DCB)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
o-Xylene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
p-Chlorotoluene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
p-Dichlorobenzene (1,4-DCB)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
p-Isopropyltoluene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
sec-Butylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Styrene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Tert-amyl methyl ether	ND		3.0		ug/L		02/18/25 00:26	1	N4CJ
Tert-butyl ethyl ether	ND		3.0		ug/L		02/18/25 00:26	1	N4CJ
tert-Butylbenzene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Tetrachloroethene (PCE)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Toluene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Xylenes, Total	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
trans-1,2-Dichloroethylene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
trans-1,3-Dichloropropene	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Trichloroethylene (TCE)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Trichlorofluoromethane (Freon 11)	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Trichlorotrifluoroethane	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ
Vinyl Chloride (VC)	ND		0.30		ug/L		02/18/25 00:26	1	N4CJ
1,2-Dichloroethene, Total	ND		0.50		ug/L		02/18/25 00:26	1	N4CJ

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	94		70 - 130	02/18/25 00:26	1	N4CJ
4-Bromofluorobenzene (Surr)	99		70 - 130	02/18/25 00:26	1	N4CJ
Toluene-d8 (Surr)	101		70 - 130	02/18/25 00:26	1	N4CJ

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Alachlor (Alanex)	ND		0.049		ug/L		02/26/25 16:01	1	UPAC
Aldrin	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Dieldrin	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Endrin	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Heptachlor	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Heptachlor epoxide (isomer B)	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Lindane	ND		0.0098		ug/L		02/26/25 16:01	1	UPAC
Methoxychlor	ND		0.049		ug/L		02/26/25 16:01	1	UPAC

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	98		70 - 130	02/26/25 16:01	1	UPAC
Triphenylphosphate	98		70 - 130	02/26/25 16:01	1	UPAC
Perylene-d12	96		70 - 130	02/26/25 16:01	1	UPAC

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
PCB-1016	ND		0.070		ug/L		02/20/25 21:53	1	DR5R
PCB-1221	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
PCB-1232	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
PCB-1242	ND		0.10		ug/L		02/20/25 21:53	1	DR5R

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product

Lab Sample ID: 380-135849-1

Date Collected: 02/12/25 09:59

Matrix: Bottled Water

Date Received: 02/14/25 10:03

PWSID Number: 2646395

Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
PCB-1248	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
PCB-1254	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
PCB-1260	ND		0.070		ug/L		02/20/25 21:53	1	DR5R
Polychlorinated biphenyls, Total	ND		0.10		ug/L		02/20/25 21:53	1	DR5R
Toxaphene	ND		0.50		ug/L		02/20/25 21:53	1	DR5R

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	99		70 - 130	02/20/25 21:53	1	DR5R

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20		ug/L		02/25/25 04:38	1	K9GY
2,4,5-TP (Silvex)	ND		0.10		ug/L		02/25/25 04:38	1	K9GY
2,4-D	ND		0.10		ug/L		02/25/25 04:38	1	K9GY
2,4-DB	ND		2.0		ug/L		02/25/25 04:38	1	K9GY
3,5-Dichlorobenzoic acid	ND		0.50		ug/L		02/25/25 04:38	1	K9GY
Acifluorfen	ND		0.20		ug/L		02/25/25 04:38	1	K9GY
Bentazon	ND		0.50		ug/L		02/25/25 04:38	1	K9GY
Dalapon	ND		1.0		ug/L		02/25/25 04:38	1	K9GY
Dicamba	ND		0.10		ug/L		02/25/25 04:38	1	K9GY
Dichlorprop	ND		0.50		ug/L		02/25/25 04:38	1	K9GY
Dinoseb	ND		0.20		ug/L		02/25/25 04:38	1	K9GY
Pentachlorophenol	ND		0.040		ug/L		02/25/25 04:38	1	K9GY
Picloram	ND		0.10		ug/L		02/25/25 04:38	1	K9GY

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	109		70 - 130	02/25/25 04:38	1	K9GY

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	ND		0.50		mg/L		02/17/25 13:46	1	DXD4
Nitrate as N	ND		0.050		mg/L		02/17/25 13:46	1	DXD4
Nitrite as N	ND		0.050		mg/L		02/17/25 13:46	1	DXD4
Sulfate	ND		0.25		mg/L		02/17/25 13:46	1	DXD4

Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	ND		0.050		mg/L		02/17/25 13:46	1	C4WQ

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		1.0		ug/L		02/18/25 08:11	1	XLG4

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Calcium	ND		0.10		mg/L		02/18/25 15:27	1	MF7S
Iron	ND		0.010		mg/L		02/18/25 15:27	1	MF7S
Magnesium	ND		0.10		mg/L		02/18/25 15:27	1	MF7S
Potassium	ND		0.10		mg/L		02/18/25 15:27	1	MF7S
Sodium	ND		0.10		mg/L		02/18/25 15:27	1	MF7S

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product

Lab Sample ID: 380-135849-1

Date Collected: 02/12/25 09:59

Matrix: Bottled Water

Date Received: 02/14/25 10:03

PWSID Number: 2646395

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Mercury	ND		0.20		ug/L		02/18/25 14:54	1	VB9B

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Antimony	ND		1.0		ug/L		02/18/25 14:54	1	VB9B
Arsenic	ND		2.0		ug/L		02/18/25 14:54	1	VB9B
Barium	ND		2.0		ug/L		02/18/25 14:54	1	VB9B
Cadmium	ND		0.50		ug/L		02/18/25 14:54	1	VB9B
Chromium	ND		0.90		ug/L		02/18/25 14:54	1	VB9B
Copper	ND		1.0		ug/L		02/18/25 14:54	1	VB9B
Lead	ND		0.50		ug/L		02/18/25 14:54	1	VB9B
Manganese	ND		2.0		ug/L		02/18/25 14:54	1	VB9B
Nickel	ND		1.0		ug/L		02/18/25 14:54	1	VB9B
Selenium	ND		2.0		ug/L		02/18/25 14:54	1	VB9B
Silver	ND		0.50		ug/L		02/18/25 14:54	1	VB9B
Uranium	ND		1.0		ug/L		02/18/25 14:54	1	VB9B
Zinc	ND		20		ug/L		02/18/25 14:54	1	VB9B

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Total hardness as CaCO3	ND		2.9		mg/L		02/20/25 04:24	1	C4WQ
Calcium hardness as CaCO3	ND		2.5		mg/L		02/20/25 04:24	1	C4WQ
Magnesium hardness as CaCO3	ND		0.41		mg/L		02/20/25 04:24	1	C4WQ

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Analyzed	Dil Fac	Analyst
Corrosivity (SM 2330B)	-8				LangSU		02/17/25 11:13	1	V7DE
Langelier Index (SM 2330B)	-8				LangSU		02/17/25 11:13	1	V7DE
Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	ND		0.10		NTU		02/17/25 19:14	1	QDP7
Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/22/25 04:47	1	PK4Q
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/22/25 04:47	1	PK4Q
Carbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/22/25 04:47	1	PK4Q
Hydroxide Alkalinity as CaCO3 (SM 2320B)	ND		4.0		mg/L		02/22/25 04:47	1	PK4Q
Total Dissolved Solids (SM 2540C)	ND		10		mg/L		02/17/25 16:13	1	UJRF
Fluoride (SM 4500 F C)	ND		0.050		mg/L		02/22/25 00:11	1	PK4Q
Analyte	Result	Qualifier	RL	RL	Unit	D	Analyzed	Dil Fac	Analyst
Color, Apparent (SM 2120B)	ND		2.0		Color Units		02/18/25 11:57	1	DN4H
Odor (SM 2150B)	ND		1.0		T.O.N.		02/17/25 13:28	1	QDP7
pH (SM 4500 H+ B)	5.5	HF	0.01		SU		02/24/25 15:41	1	PK4Q

Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	0.161	U	0.512	0.513	3.00	0.572	pCi/L	03/06/25 20:01	1	SWS
Gross Beta	-0.0913	U	0.468	0.468	4.00	0.512	pCi/L	03/06/25 20:01	1	SWS

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product

Lab Sample ID: 380-135849-1

Date Collected: 02/12/25 09:59

Matrix: Bottled Water

Date Received: 02/14/25 10:03

PWSID Number: 2646395

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.0385	U	0.105	0.105	1.00	0.127	pCi/L	03/08/25 08:37	1	SCB
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	79.9		30 - 110					03/08/25 08:37	1	SCB

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	-0.0768	U	0.283	0.283	1.00	0.331	pCi/L	03/11/25 11:47	1	SWS
Carrier	%Yield	Qualifier	Limits					Analyzed	Dil Fac	Analyst
Ba Carrier	86.9		30 - 110					03/11/25 11:47	1	SWS
Y Carrier	87.9		30 - 110					03/11/25 11:47	1	SWS

Method: Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium 226 and 228	0.0385	U	0.302	0.302	5.00	0.331	pCi/L	03/14/25 14:39	1	EMH

Action Limit Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product
PWSID Number: 2646395

Lab Sample ID: 380-135849-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Trihalomethanes, Total	ND		ug/L	80		0.50	524.2	Total/NA
1,1,1-Trichloroethane	ND		ug/L	200		0.50	524.2	Total/NA
1,1,2-Trichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,1-Dichloroethylene	ND		ug/L	7		0.50	524.2	Total/NA
1,2,4-Trichlorobenzene	ND		ug/L	70		0.50	524.2	Total/NA
1,2-Dichloroethane	ND		ug/L	5		0.50	524.2	Total/NA
1,2-Dichloropropane	ND		ug/L	5		0.50	524.2	Total/NA
Benzene	ND		ug/L	5		0.50	524.2	Total/NA
Carbon tetrachloride	ND		ug/L	5		0.50	524.2	Total/NA
Chlorobenzene	ND		ug/L	100		0.50	524.2	Total/NA
cis-1,2-Dichloroethylene	ND		ug/L	70		0.50	524.2	Total/NA
Dichloromethane	ND		ug/L	5		0.50	524.2	Total/NA
Ethylbenzene	ND		ug/L	700		0.50	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		ug/L	600		0.50	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		ug/L	75		0.50	524.2	Total/NA
Styrene	ND		ug/L	100		0.50	524.2	Total/NA
Tetrachloroethene (PCE)	ND		ug/L	5		0.50	524.2	Total/NA
Toluene	ND		ug/L	1000		0.50	524.2	Total/NA
Xylenes, Total	ND		ug/L	10000		0.50	524.2	Total/NA
trans-1,2-Dichloroethylene	ND		ug/L	100		0.50	524.2	Total/NA
Trichloroethylene (TCE)	ND		ug/L	5		0.50	524.2	Total/NA
Vinyl Chloride (VC)	ND		ug/L	2		0.30	524.2	Total/NA
Alachlor (Alanex)	ND		ug/L	2		0.049	525.2	Total/NA
Endrin	ND		ug/L	2		0.0098	525.2	Total/NA
Heptachlor	ND		ug/L	0.4		0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2		0.0098	525.2	Total/NA
Lindane	ND		ug/L	0.2		0.0098	525.2	Total/NA
Methoxychlor	ND		ug/L	40		0.049	525.2	Total/NA
Chlordane	ND		ug/L	2		0.10	505	Total/NA
Polychlorinated biphenyls, Total	ND		ug/L	0.5		0.10	505	Total/NA
Toxaphene	ND		ug/L	3		0.50	505	Total/NA
2,4,5-TP (Silvex)	ND		ug/L	50		0.10	515.4	Total/NA
2,4-D	ND		ug/L	70		0.10	515.4	Total/NA
Dalapon	ND		ug/L	200		1.0	515.4	Total/NA
Dinoseb	ND		ug/L	7		0.20	515.4	Total/NA
Pentachlorophenol	ND		ug/L	1		0.040	515.4	Total/NA
Picloram	ND		ug/L	500		0.10	515.4	Total/NA
Chloride	ND		mg/L		250	0.50	300.0	Total/NA
Nitrate as N	ND		mg/L	10		0.050	300.0	Total/NA
Nitrite as N	ND		mg/L	1		0.050	300.0	Total/NA
Sulfate	ND		mg/L		250	0.25	300.0	Total/NA
Nitrate Nitrite as N	ND		mg/L	10		0.050	300.0	Total/NA
Bromate	ND		ug/L	10		1.0	317	Total/NA
Iron	ND		mg/L		0.3	0.010	200.7	Total/NA
Mercury	ND		ug/L	2		0.20	200.8	Total/NA
Antimony	ND		ug/L	6		1.0	200.8	Total/NA
Arsenic	ND		ug/L	10		2.0	200.8	Total/NA

Eurofins Eaton Analytical Pomona

Action Limit Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Client Sample ID: 107-21347 Distilled Finished Product
(Continued)
PWSID Number: 2646395

Lab Sample ID: 380-135849-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	EPAMCLS Limit	RL	Method	Prep Type
Barium	ND		ug/L	2000		2.0	200.8	Total/NA
Cadmium	ND		ug/L	5		0.50	200.8	Total/NA
Chromium	ND		ug/L	100		0.90	200.8	Total/NA
Copper	ND		ug/L		1000	1.0	200.8	Total/NA
Lead	ND		ug/L	15.000		0.50	200.8	Total/NA
Manganese	ND		ug/L		50	2.0	200.8	Total/NA
Selenium	ND		ug/L	50		2.0	200.8	Total/NA
Silver	ND		ug/L		100	0.50	200.8	Total/NA
Uranium	ND		ug/L	30		1.0	200.8	Total/NA
Zinc	ND		ug/L		5000	20	200.8	Total/NA
Color, Apparent	ND		Color Units		15	2.0	SM 2120B	Total/NA
Odor	ND		T.O.N.		3	1.0	SM 2150B	Total/NA
Total Dissolved Solids	ND		mg/L		500	10	SM 2540C	Total/NA
Fluoride	ND		mg/L	4	2	0.050	SM 4500 F C	Total/NA
pH	5.5	HF	SU		6.5	0.01	SM 4500 H+ B	Total/NA
Gross Alpha	0.161	U	pCi/L	15		3.00	900.0	Total/NA
Gross Beta	-0.0913	U	pCi/L	50		4.00	900.0	Total/NA
Radium 226 and 228	0.0385	U	pCi/L	5		5.00	Ra226_Ra228 Pos	Total/NA

Accreditation/Certification and Definitions Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-25
Alabama	State	41060	06-18-25
Arizona	State	AZ0833	02-26-25
Arkansas (DW)	State	CA00006	01-31-26
California	State	2813	06-18-25
Colorado	State	CA00006	01-31-26
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-26
Florida	NELAP	E871024	06-30-25
Georgia (DW)	State	947	01-31-26
Guam	State	24-03R	03-31-25
Hawaii	State	CA00006	01-31-25 *
Hawaii (Micro)	State	CA00006	01-31-26
Idaho (DW)	State	CA00006	01-31-26
Idaho (Micro)	State	CA00006	03-31-25
Illinois	NELAP	200033	03-12-25
Indiana	State	C-CA-01	06-18-25
Kansas	NELAP	E-10268	04-30-25
Kentucky (DW)	State	KY90107	12-31-25
Louisiana (DW)	State	LA008	12-31-25
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-31-26
Massachusetts	State	M-CA006	06-30-25
MI - RadChem Recognition	State	9906	06-18-25
Michigan	State	9906	06-18-25
Mississippi	State	CA2813	06-18-25
Montana (DW)	State	CERT0035	01-01-26
Nebraska	State	NE-OS-21-13	01-31-26
Nevada	State	CA00006	07-31-25
New Hampshire	NELAP	2959	03-29-25
New Jersey	NELAP	CA008	06-30-25
New Mexico	State	CA00006	01-31-26
New York	NELAP	11320	04-01-25
North Carolina (DW)	State	06701	07-31-25
North Dakota	State	R-009	01-31-24 *
Northern Mariana Islands (DW)	State	CA00006	01-31-26
Ohio	State	87786	01-31-26
Oregon	NELAP	4034	01-29-26
Pennsylvania	NELAP	68-00565	10-31-25
Puerto Rico	State	CA00006	03-31-25
Rhode Island	State	LAO00381	12-30-25
South Dakota (DW)	State	CA11320	06-18-25
Tennessee	State	TN02839	01-31-25 *
Texas	NELAP	T104704230	09-30-25
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-26
Vermont	State	VT-0114	12-28-25
Virginia	NELAP	460260	06-14-25
Washington	State	C838	03-13-25
Wyoming	State	8-TMS-L	06-18-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-08-25
Arizona	State	AZ0813	12-08-25
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-25
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-25
HI - RadChem Recognition	State	n/a	06-30-25
Illinois	NELAP	200023	11-30-25
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-25
Kentucky (DW)	State	KY90125	12-31-25
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-25
Louisiana (All)	NELAP	106151	06-30-25
Louisiana (DW)	State	LA011	12-31-25
Maryland	State	310	09-30-25
Massachusetts	State	M-MO054	06-30-25
MI - RadChem Recognition	State	9005	06-30-25
Missouri	State	780	06-30-25
Nevada	State	MO00054	07-31-25
New Jersey	NELAP	MO002	06-30-25
New Mexico	State	MO00054	06-30-25
New York	NELAP	11616	03-31-25
North Carolina (DW)	State	29700	07-31-25
North Dakota	State	R-207	06-30-25
Oklahoma	NELAP	9997	08-31-25
Oregon	NELAP	4157	09-01-25
Pennsylvania	NELAP	68-00540	02-28-26
South Carolina	State	85002	06-30-25
Texas	NELAP	T104704193	07-31-25
US Fish & Wildlife	US Federal Programs	058448	07-31-25
USDA	US Federal Programs	525-23-138-94730	05-18-26
Utah	NELAP	MO00054	07-31-25
Virginia	NELAP	460230	06-14-25
Washington	State	C592	08-30-25
West Virginia DEP	State	381	10-31-25

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification and Definitions Summary

Client: Fox Ledge Inc.
Project/Site: 107-21347

Job ID: 380-135849-1
SDG: Fox Ledge - Honesdale - Distilled Finished Product

Qualifiers (Continued)

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

CHAIN OF CUSTODY RECORD

107-21347-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Weare, New Hampshire 03281 Designs Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Fox Ledge Inc. 1432 Bethany Turnpike Honesdale PA 18431		LAB USED: Eurofins -Pomona	ORDER # 38008392
PROJECT NAME: 2025 NY Annual		PROJECT #: 107		TURNAROUND TIME: STND/BUT ASAP	PWS #: 2646395
ANALYSIS REQUIRED		NUMBER OF CONTAINERS			
SAMPLE NUMBER 107-21347	DATE & TIME OF SAMPLE COLLECTION 2/12/25 0959	SAMPLE DESCRIPTION AND PRODUCTION CODE Distilled Finished Product		2	
Produced From: Well 1		Size: 1 Gallon if multiple shipments indicate shipment ___ of ___		(Additional sample requested)	
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: Line: 1 2/12/25 0959		Bottle Water Product* Containe	
SAMPLER'S SIGNATURE: <i>Monica DelCorno</i>		PLEASE PRINT BELOW: MONICA DelCorno		COMPLIANCE CRITERIA:	
RELINQUISHED BY <i>Monica DelCorno</i>	DATE/TIME 2/12/25 0959	ACCEPTED BY Mary Jean	DATE/TIME 2/14/25 10:03	NOTES TO LABORATORY	



UPS 12 80 FV98 12 3847 8675
 631A 14.5 top = 14.5' C N/A

380-135849 COC

KeSond

CHAIN OF CUSTODY RECORD

107-21347-13

INVOICE TO/SEND Compliance Designs 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318		ORIGINAL REPORT TO: Fox Ledge Inc. 1432 Bethany Turnpike Honesdale PA 18431		LAB USED: Eurofins -Pomona ORDER # 38008392
PROJECT NAME: 2025 NY Annual		PROJECT #: 107		TURNAROUND TIME: STND/BUT ASAP PWS #: 2646395
DATE & TIME OF SAMPLE COLLECTION		SAMPLE DESCRIPTION AND PRODUCTION CODE		ANALYSIS REQUIRED
3.3.25 1015		Distilled Finished Product		
		Produced From: Well 1		
		Size: 1 Gallon If multiple shipments indicate shipment ___ of ___		
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: Line: /		
3.3.25 1015				
SAMPLER'S SIGNATURE: <i>[Signature]</i>		PLEASE PRINT BELOW: MONTANA DEVELOPMENT		COMPLIANCE CRITERIA:
RELINQUISHED BY	DATE/TIME	ACCEPTED BY	DATE/TIME	NOTES TO LABORATORY
<i>[Signature]</i>	3.3.25 1015	MONTANA DEVELOPMENT	2/7/25 1214	

(631A) 15.3+0.3 15.6 NO ICE JPS: 12 06F V96 03 0612 6630

CHAIN OF CUSTODY RECORD

107-21347-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Weare, New Hampshire 03281 Designs Tel (603) 273-0954 Fax (603) 695-7318		CLIENT NAME TO APPEAR ON REPORT: Fox Lodge Inc. 1432 Bethany Turnpike Honesdale PA 18431		LAB USED: Eurofins -Pomona	ORDER # 38008392
PROJECT NAME: 2025 NY Annual		PROJECT #: 107		TURNAROUND TIME: STND/BUT ASAP	PWS #: 2646395
		NUMBER OF CONTAINERS		ANALYSIS REQUIRED	
SAMPLE NUMBER	DATE & TIME OF SAMPLE COLLECTION	SAMPLE DESCRIPTION AND PRODUCTION CODE			
107-21347	2-12-25 0959	Distilled Finished Product		NY-Annual	
		Produced From: Well 1		(Additional sample requested)	
		Size: 1 Gallon if multiple shipments indicate shipment ___ of ___			
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: Line: 1 2-12-25 0959		Bottle Water Product Containe	
				Sampling Date dependent on opening of container	
SAMPLER'S SIGNATURE: <i>Monica DelCorno</i>		PLEASE PRINT BELOW: MONICA DelCorno		COMPLIANCE CRITERIA:	
RELINQUISHED BY	DATE/TIME	ACCEPTED BY	DATE/TIME	NOTES TO LABORATORY	
<i>Monica DelCorno</i>	2-12-25 0959	<i>May Lee</i>	2/14/25 10:03		



UPS 1280FV9812 38478673
631A 14.5 top - 14.5c N/A

2-17-25

3/15/2025

380-135849 COC

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Resend

CHAIN OF CUSTODY RECORD

107-21347-13

INVOICE TO/SEND ORIGINAL REPORT TO: Compliance 159 South Stark Highway Weare, New Hampshire 03281 Tel (603) 273-0954 Fax (603) 695-7318 Designs		CLIENT NAME TO APPEAR ON REPORT: Fox Ledge Inc. 1432 Bethany Turnpike Honesdale PA 18431		LAB USED: Eurofins -Pomona	ORDER # 38008392
PROJECT NAME: 2025 NY Annual		PROJECT #: 107		TURNAROUND TIME: STND/BUT ASAP	PWS #: 2646395
DATE & TIME OF SAMPLE COLLECTION		SAMPLE DESCRIPTION AND PRODUCTION CODE		ANALYSIS REQUIRED	
107-21347	2.3.25 10/5	Distilled Finished Product		NY-Annual	
		Produced From: Well 1			
		Size: 1 Gal/100L If multiple shipments indicate shipment ___ of ___			
LAB, PLEASE INDICATE DATE AND TIME BOTTLES OPENED (SAMPLE DATE & TIME)		Prod Code: Line: /			
SAMPLER'S SIGNATURE: <i>[Signature]</i>		PLEASE PRINT BELOW: Maurice DeLuca		COMPLIANCE CRITERIA:	
RELINQUISHED BY <i>[Signature]</i>	DATE/TIME 2.3.25 10/5	ACCEPTED BY Maurice DeLuca	DATE/TIME 2/2/25 12/5	NOTES TO LABORATORY	

(621A) 15.3+0.3 15.6 NO ICE OPS: 12 06F V96 03 06/2 6630

941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record

 eurofins

Environment Testing

Client Information (Sub Contract Lab) Client Contact: Arada, Rachelle Shipping/Receiving: Rachelle.Arada@eurofinsus.com Company: TestAmerica Laboratories, Inc.		Lab PM: Arada, Rachelle E-Mail: Rachelle.Arada@eurofinsus.com Carrier Tracking No(s): N/A		COC No: 380-191286-1 Page: Page 1 of 1 Job #: 380-135849-1	
Address: 13715 Rider Trail North, Earth City, MO 63045 Phone: 314-298-8566(Tel) 314-298-8757(Fax) Email: N/A		Due Date Requested: 3/13/2025 TAT Requested (days): N/A		Preservation Codes:	
Project Name: 107-21347 Project #: 38008392 SOW#: N/A		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)	
Sample Date: 2/14/25 Sample Time: 08:00 Eastern		Sample Type (C=Comp, G=grab) G		Matrix (W=water, S=solid, O=oil, BT=Tissue, AA=)	
Sample ID (Lab ID): Distilled Finished Product (380-135849-1)		Preservation Code:		Total Number of Containers: 1	
Special Instructions/Note:		900.0/Evaporation Standard Target List		903.0/PreSep_21 Standard Target List	
904.0/PreSep_0 Standard Target List		Ra226_228GFP_P		Special Instructions/Note:	
SDWA Extend count time if needed to meet MDC-		1		1	
Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.					
Possible Hazard Identification Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 1					
Empty Kit Relinquished by:		Date:		Method of Shipment:	
Relinquished by:		Date/Time:		Date/Time:	
Relinquished by:		Date/Time:		Date/Time:	
Relinquished by:		Date/Time:		Date/Time:	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:	